

Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search **PubMed** for **TRK1 AND TRK2** **Go** **Clear**

☒ Limits Preview/Index History Clipboard Details

About Entrez

Text Version

## Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

## PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

## Related Resources

Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central



















Privacy Policy

Field: **Title/Abstract**

**Display** **Summary** Show: **20** Sort: **Send to** **Text**

Items 1-20 of 31 **Page** **1** of 2 Next

- ☐ **1:** Calero F, Montiel V, Caracul Z, Cabello-Hurtado F, Ramos J. Related Articles, Links  
**On the role of Trk1 and Trk2 in Schizosaccharomyces pombe under different ion stress conditions.**  
 FEMS Yeast Res. 2004 Mar;4(6):619-24.  
 PMID: 15040950 [PubMed - in process]
- ☐ **2:** Roberts SK. Related Articles, Links  
**TOK homologue in Neurospora crassa: first cloning and functional characterization of an ion channel in a filamentous fungus.**  
 Eukaryot Cell. 2003 Feb;2(1):181-90.  
 PMID: 12582135 [PubMed - indexed for MEDLINE]
- ☐ **3:** Bertl A, Ramos J, Ludwig J, Lichtenberg-Frate H, Reid J, Bihler H, Calero F, Martinez P, Ljungdahl PO. Related Articles, Links  
**Characterization of potassium transport in wild-type and isogenic yeast strains carrying all combinations of trk1, trk2 and tok1 null mutations.**  
 Mol Microbiol. 2003 Feb;47(3):767-80.  
 PMID: 12535075 [PubMed - indexed for MEDLINE]
- ☐ **4:** Bihler H, Slayman CL, Bertl A. Related Articles, Links  
**Low-affinity potassium uptake by Saccharomyces cerevisiae is mediated by NSC1, a calcium-blocked non-specific cation channel.**  
 Biochim Biophys Acta. 2002 Feb 1;1558(2):109-18.  
 PMID: 11779561 [PubMed - indexed for MEDLINE]
- ☐ **5:** Goossens A, de La Fuente N, Forment J, Serrano R, Portillo F. Related Articles, Links  
**Regulation of yeast H(+)-ATPase by protein kinases belonging to a family dedicated to activation of plasma membrane transporters.**  
 Mol Cell Biol. 2000 Oct;20(20):7654-61.  
 PMID: 11003661 [PubMed - indexed for MEDLINE]
- ☐ **6:** Graves FM, Tinker A. Related Articles, Links  
**Functional expression of the pore forming subunit of the ATP-sensitive potassium channel in Saccharomyces cerevisiae.**  
 Biochem Biophys Res Commun. 2000 Jun 7;272(2):403-9.  
 PMID: 10833427 [PubMed - indexed for MEDLINE]
- ☐ **7:** Calero F, Gomez N, Arino J, Ramos J. Related Articles, Links  
**Trk1 and Trk2 define the major K(+) transport system in fission yeast.**  
 J Bacteriol. 2000 Jan;182(2):394-9.  
 PMID: 10629185 [PubMed - indexed for MEDLINE]

-  **8:** Mulet JM, Leube MP, Kron SJ, Rios G, Fink GR, Serrano R. [Related Articles, Links](#)  
 A novel mechanism of ion homeostasis and salt tolerance in yeast: the Hal4 and Hal5 protein kinases modulate the Trk1-Trk2 potassium transporter.  
Mol Cell Biol. 1999 May;19(5):3328-37.  
PMID: 10207057 [PubMed - indexed for MEDLINE]
-  **9:** Polley LD. [Related Articles, Links](#)  
 Genetic analysis of mutant clones of *Chlamydomonas reinhardtii* defective in potassium transport.  
Mol Gen Genet. 1999 Mar;261(2):275-80.  
PMID: 10102362 [PubMed - indexed for MEDLINE]
-  **10:** Fairman C, Zhou X, Kung C. [Related Articles, Links](#)  
 Potassium uptake through the TOK1 K<sup>+</sup> channel in the budding yeast.  
J Membr Biol. 1999 Mar 15;168(2):149-57.  
PMID: 10089235 [PubMed - indexed for MEDLINE]
-  **11:** Haro R, Sainz L, Rubio F, Rodriguez-Navarro A. [Related Articles, Links](#)  
 Cloning of two genes encoding potassium transporters in *Neurospora crassa* and expression of the corresponding cDNAs in *Saccharomyces cerevisiae*.  
Mol Microbiol. 1999 Jan;31(2):511-20.  
PMID: 10027968 [PubMed - indexed for MEDLINE]
-  **12:** Lapathitis G, Kotyk A. [Related Articles, Links](#)  
 Different sources of acidity in glucose-elicited extracellular acidification in the yeast *Saccharomyces cerevisiae*.  
Biochem Mol Biol Int. 1998 Dec;46(5):973-8.  
PMID: 9861451 [PubMed - indexed for MEDLINE]
-  **13:** Madrid R, Gomez MJ, Ramos J, Rodriguez-Navarro A. [Related Articles, Links](#)  
 Ectopic potassium uptake in *trk1 trk2* mutants of *Saccharomyces cerevisiae* correlates with a highly hyperpolarized membrane potential.  
J Biol Chem. 1998 Jun 12;273(24):14838-44.  
PMID: 9614085 [PubMed - indexed for MEDLINE]
-  **14:** Lapathitis G, Kotyk A. [Related Articles, Links](#)  
 Univalent cation fluxes in yeast.  
Biochem Mol Biol Int. 1998 Feb;44(2):371-80.  
PMID: 9530519 [PubMed - indexed for MEDLINE]
-  **15:** Liang H, Ko CH, Herman T, Gaber RF. [Related Articles, Links](#)  
 Trinucleotide insertions, deletions, and point mutations in glucose transporters confer K<sup>+</sup> uptake in *Saccharomyces cerevisiae*.  
Mol Cell Biol. 1998 Feb;18(2):926-35.  
PMID: 9447989 [PubMed - indexed for MEDLINE]
-  **16:** Quintero FJ, Blatt MR. [Related Articles, Links](#)  
 A new family of K<sup>+</sup> transporters from *Arabidopsis* that are conserved across phyla.  
FEBS Lett. 1997 Sep 29;415(2):206-11.  
PMID: 9350997 [PubMed - indexed for MEDLINE]

- ☐ 17: [Wright MB, Ramos J, Gomez MJ, Moulder K, Scherrer M, Munson G, Gaber RF.](#) [Related Articles, Links](#)



**Potassium transport by amino acid permeases in *Saccharomyces cerevisiae*.**

J Biol Chem. 1997 May 23;272(21):13647-52.  
PMID: 9153214 [PubMed - indexed for MEDLINE]

- ☐ 18: [Lichtenberg-Frate H, Reid JD, Heyer M, Hofer M.](#) [Related Articles, Links](#)



**The SpTRK gene encodes a potassium-specific transport protein TKHp in *Schizosaccharomyces pombe*.**

J Membr Biol. 1996 Jul;152(2):169-81.  
PMID: 9139127 [PubMed - indexed for MEDLINE]

- ☐ 19: [Tang W, Ruknudin A, Yang WP, Shaw SY, Knickerbocker A, Kurtz S.](#) [Related Articles, Links](#)



**Functional expression of a vertebrate inwardly rectifying K<sup>+</sup> channel in yeast.**

Mol Biol Cell. 1995 Sep;6(9):1231-40.  
PMID: 8534918 [PubMed - indexed for MEDLINE]

- ☐ 20: [Soldatenkov VA, Velasco JA, Avila MA, Ditschilo A, Notario V.](#) [Related Articles, Links](#)




**Isolation and characterization of SpTRK, a gene from *Schizosaccharomyces pombe* predicted to encode a K<sup>+</sup> transporter protein.**

Gene. 1995 Aug 8;161(1):97-101.  
PMID: 7642145 [PubMed - indexed for MEDLINE]

Display	Summary	Show:	20	Sort	Send to	Text
Items 1-20 of 31		Page	1	of 2 Next		

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)

Apr 19 2004 06:33:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for TRK1 AND TRK2 Go Clear

☒ Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

Related Resources

Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

Privacy Policy

Field: Title/Abstract

Display Summary Show: 20 Sort Send to Text

Items 21-31 of 31

Previous Page 2 of 2

- ☐ 21: [Banuelos MA, Klein RD, Alexander-Bowman SJ, Rodriguez-Navarro A.](#) Related Articles, Links

A potassium transporter of the yeast *Schwanniomyces occidentalis* homologous to the Kup system of *Escherichia coli* has a high concentrative capacity.

EMBO J. 1995 Jul 3;14(13):3021-7.

PMID: 7621817 [PubMed - indexed for MEDLINE]

- ☐ 22: [Bertl A, Anderson JA, Slayman CL, Gaber RF.](#) Related Articles, Links

Use of *Saccharomyces cerevisiae* for patch-clamp analysis of heterologous membrane proteins: characterization of Kat1, an inward-rectifying K<sup>+</sup> channel from *Arabidopsis thaliana*, and comparison with endogeneous yeast channels and carriers.

Proc Natl Acad Sci U S A. 1995 Mar 28;92(7):2701-5.

PMID: 7708709 [PubMed - indexed for MEDLINE]

- ☐ 23: [Perier F, Radeke CM, Raab-Graham KF, Vandenberg CA.](#) Related Articles, Links

Expression of a putative ATPase suppresses the growth defect of a yeast potassium transport mutant: identification of a mammalian member of the Clp/HSP104 family.

Gene. 1995 Jan 23;152(2):157-63.

PMID: 7835694 [PubMed - indexed for MEDLINE]

- ☐ 24: [Takase K, Kakinuma S, Yamato I, Konishi K, Igarashi K, Kakinuma Y.](#) Related Articles, Links

Sequencing and characterization of the ntp gene cluster for vacuolar-type Na<sup>+</sup>-translocating ATPase of *Enterococcus hirae*.

J Biol Chem. 1994 Apr 15;269(15):11037-44.

PMID: 8157629 [PubMed - indexed for MEDLINE]

- ☐ 25: [Ramos J, Alijo R, Haro R, Rodriguez-Navarro A.](#) Related Articles, Links

TRK2 is not a low-affinity potassium transporter in *Saccharomyces cerevisiae*.

J Bacteriol. 1994 Jan;176(1):249-52.

PMID: 8282703 [PubMed - indexed for MEDLINE]

- ☐ 26: [Anderson JA, Nakamura RL, Gaber RF.](#) Related Articles, Links

Heterologous expression of K<sup>+</sup> channels in *Saccharomyces cerevisiae*: strategies for molecular analysis of structure and function.

Symp Soc Exp Biol. 1994;48:85-97.

PMID: 7597651 [PubMed - indexed for MEDLINE]

☐ 27: [Ko CH, Liang H, Gaber RF.](#)

[Related Articles](#), [Links](#)



**Roles of multiple glucose transporters in *Saccharomyces cerevisiae*.**

Mol Cell Biol. 1993 Jan;13(1):638-48.

PMID: 8417358 [PubMed - indexed for MEDLINE]

☐ 28: [Vidal M, Gaber RF.](#)

[Related Articles](#), [Links](#)



**RPD3 encodes a second factor required to achieve maximum positive and negative transcriptional states in *Saccharomyces cerevisiae*.**

Mol Cell Biol. 1991 Dec;11(12):6317-27.

PMID: 1944291 [PubMed - indexed for MEDLINE]

☐ 29: [Ko CH, Gaber RF.](#)

[Related Articles](#), [Links](#)



**TRK1 and TRK2 encode structurally related K<sup>+</sup> transporters in *Saccharomyces cerevisiae*.**

Mol Cell Biol. 1991 Aug;11(8):4266-73.

PMID: 2072919 [PubMed - indexed for MEDLINE]

☐ 30: [Vidal M, Buckley AM, Hilger F, Gaber RF.](#)

[Related Articles](#), [Links](#)



**Direct selection for mutants with increased K<sup>+</sup> transport in *Saccharomyces cerevisiae*.**

Genetics. 1990 Jun;125(2):313-20.

PMID: 2199313 [PubMed - indexed for MEDLINE]

☐ 31: [Ko CH, Buckley AM, Gaber RF.](#)

[Related Articles](#), [Links](#)



**TRK2 is required for low affinity K<sup>+</sup> transport in *Saccharomyces cerevisiae*.**


Genetics. 1990 Jun;125(2):305-12.

PMID: 2199312 [PubMed - indexed for MEDLINE]

Display	Summary	Show:	20	Sort	Send to	Text
Items 21-31 of 31		Previous	Page	2	of 2	

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)

Apr 19 2004 06:53:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br  
Search PubMed for TRK1 AND TOK1 Go Clear  
☒ Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

Field: Title/Abstract

Display

Summary

Show: 20

Sort

Send to

Text

Items 1-3 of 3

One page.

- ☐ 1: Bertl A, Ramos J, Ludwig J, Lichtenberg-Frate H, Reid J, Bihler H, Calero F, Martinez P, Ljungdahl PO. Related Articles, Links  
Characterization of potassium transport in wild-type and isogenic yeast strains carrying all combinations of trk1, trk2 and tok1 null mutations.  
Mol Microbiol. 2003 Feb;47(3):767-80.  
PMID: 12535075 [PubMed - indexed for MEDLINE]
- ☐ 2: Fairman C, Zhou X, Kung C. Related Articles, Links  
Potassium uptake through the TOK1 K<sup>+</sup> channel in the budding yeast.  
J Membr Biol. 1999 Mar 15;168(2):149-57.  
PMID: 10089235 [PubMed - indexed for MEDLINE]
- ☐ 3: Rios G, Ferrando A, Serrano R. Related Articles, Links  
Mechanisms of salt tolerance conferred by overexpression of the HAL1 gene in Saccharomyces cerevisiae.  
Yeast. 1997 May;13(6):515-28.  
PMID: 9178503 [PubMed - indexed for MEDLINE]


Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer

Apr 19 2004 06:53:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br  
Search PubMed for TRK2 AND TOK1 Go Clear  
☒ Limits Preview/Index History Clipboard Details

About Entrez

Field: Title/Abstract

Text Version

Display Summary Show: 20 Sort Send to Text

Items 1-2 of 2

One page.

Entrez PubMed  
Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services  
Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

Related Resources  
Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

Privacy Policy

☐ 1: Bertl A, Ramos J, Ludwig J, Lichtenberg-Frate H, Reid J, Bihler H, Calero F, Martinez P, Ljungdahl PO. Related Articles, Links


Characterization of potassium transport in wild-type and isogenic yeast strains carrying all combinations of trk1, trk2 and tok1 null mutations. Mol Microbiol. 2003 Feb;47(3):767-80. PMID: 12535075 [PubMed - indexed for MEDLINE]

☐ 2: Fairman C, Zhou X, Kung C. Related Articles, Links

Potassium uptake through the TOK1 K+ channel in the budding yeast. J Membr Biol. 1999 Mar 15;168(2):149-57. PMID: 10089235 [PubMed - indexed for MEDLINE]

Write to the Help Desk  
NCBI | NLM | NIH  
Department of Health & Human Services  
Freedom of Information Act | Disclaimer

Apr 19 2004 06:53:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br  
Search PubMed for TRK2 AND TOK1 AND TRK1 Go Clear  
☒ Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Entrez PubMed  
Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services  
Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

Related Resources  
Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

Privacy Policy

Field: Title/Abstract

Display Summary Show: 20 Sort Send to Text  
Items 1-2 of 2 One page.

☐ 1: [Bertl A, Ramos J, Ludwig J, Lichtenberg-Frate H, Reid J, Bihler H, Calero F, Martinez P, Ljungdahl PO.](#) Related Articles, Links


Characterization of potassium transport in wild-type and isogenic yeast strains carrying all combinations of trk1, trk2 and tok1 null mutations. Mol Microbiol. 2003 Feb;47(3):767-80. PMID: 12535075 [PubMed - indexed for MEDLINE]

☐ 2: [Fairman C, Zhou X, Kung C.](#) Related Articles, Links

Potassium uptake through the TOK1 K+ channel in the budding yeast. J Membr Biol. 1999 Mar 15;168(2):149-57. PMID: 10089235 [PubMed - indexed for MEDLINE]

[Write to the Help Desk](#)  
[NCBI | NLM | NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act | Disclaimer](#)

Apr 19 2004 06:53:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Leberer E Go Clear

☒ Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Field: Author

Display Summary Show: 20 Sort Send to Text

Items 1-20 of 59

Page 1 of 3 Next

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journals Database

MeSH Database

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: [Ushinsky SC, H Marcus D, Ash J, Dignard D, Marcil A, Morschhauser J, Thomas DY, Whiteway M, Leberer E](#) [Related Articles, Links](#)

CDC42 is required for polarized growth in human pathogen *Candida albicans*.

Eukaryot Cell. 2002 Feb;1(1):95-104.

PMID: 12455975 [PubMed - indexed for MEDLINE]

☐ 2: [Oberholzer U, Marcil A, Leberer E, Thomas DY, Whiteway M](#) [Related Articles, Links](#)

Myosin I is required for hypha formation in *Candida albicans*.

Eukaryot Cell. 2002 Apr;1(2):213-28.

PMID: 12455956 [PubMed - indexed for MEDLINE]

☐ 3: [Michel S, Ushinsky S, Klebl B, Leberer E, Thomas D, Whiteway M, Morschhauser J](#) [Related Articles, Links](#)

Generation of conditional lethal *Candida albicans* mutants by inducible deletion of essential genes.

Mol Microbiol. 2002 Oct;46(1):269-80.

PMID: 12366849 [PubMed - indexed for MEDLINE]

☐ 4: [Jansen G, Leberer E, Thomas DY, Whiteway M](#) [Related Articles, Links](#)

Use of dominant negative mutations in analysis of G protein function in *Saccharomyces cerevisiae*.

Methods Enzymol. 2002;344:82-91. No abstract available.

PMID: 11771425 [PubMed - indexed for MEDLINE]

☐ 5: [Leberer E, H Marcus D, Dignard D, Johnson L, Ushinsky S, Thomas DY, Schroppel K](#) [Related Articles, Links](#)

Ras links cellular morphogenesis to virulence by regulation of the MAP kinase and cAMP signalling pathways in the pathogenic fungus *Candida albicans*.

Mol Microbiol. 2001 Nov;42(3):673-87.

PMID: 11722734 [PubMed - indexed for MEDLINE]

☐ 6: [Rocha CR, Schroppel K, H Marcus D, Marcil A, Dignard D, Taylor BN, Thomas DY, Whiteway M, Leberer E](#) [Related Articles, Links](#)


















Signaling through adenylyl cyclase is essential for hyphal growth and virulence in the pathogenic fungus *Candida albicans*.

Mol Biol Cell. 2001 Nov;12(11):3631-43.


PMID: 11694594 [PubMed - indexed for MEDLINE]

☐ 7: [Klebl B, Kozian D, Leberer E, Kukunuzinska MA](#) [Related Articles, Links](#)

A comprehensive analysis of gene expression profiles in a yeast N-

-  glycosylation mutant.  
Biochem Biophys Res Commun. 2001 Aug 31;286(4):714-20.  
PMID: 11520056 [PubMed - indexed for MEDLINE]
-  **8:** [Song J, Chen Z, Xu P, Gingras R, Ng A, Leberer E, Thomas DY, Ni F.](#) Related Articles, Links  
[Ni F.](#)
-  Molecular interactions of the Gbeta binding domain of the Ste20p/PAK family of protein kinases. An isolated but fully functional Gbeta binding domain from Ste20p is only partially folded as shown by heteronuclear NMR spectroscopy.  
J Biol Chem. 2001 Nov 2;276(44):41205-12. Epub 2001 Aug 16.  
PMID: 11509560 [PubMed - indexed for MEDLINE]
-  **9:** [Schroppel K, Kryk M, Herrmann M, Leberer E, Rollinghoff M, Bogdan C.](#) Related Articles, Links  
[Bogdan C.](#)
-  Suppression of type 2 NO-synthase activity in macrophages by *Candida albicans*.  
Int J Med Microbiol. 2001 Mar;290(8):659-68.  
PMID: 11310444 [PubMed - indexed for MEDLINE]
-  **10:** [Kim J, Bortz E, Zhong H, Leeuw T, Leberer E, Vershon AK, Hirsch JP.](#) Related Articles, Links  
[Hirsch JP.](#)
-  Localization and signaling of G(beta) subunit Ste4p are controlled by a-factor receptor and the a-specific protein Asg7p.  
Mol Cell Biol. 2000 Dec;20(23):8826-35.  
PMID: 11073983 [PubMed - indexed for MEDLINE]
-  **11:** [Leberer E, Dignard D, Thomas DY, Leeuw T.](#) Related Articles, Links
-  A conserved Gbeta binding (GBB) sequence motif in Ste20p/PAK family protein kinases.  
Biol Chem. 2000 May-Jun;381(5-6):427-31. Review.  
PMID: 10937873 [PubMed - indexed for MEDLINE]
-  **12:** [Raymond M, Dignard D, Alarco AM, Clark KL, Weber S, Whiteway M, Leberer E, Thomas DY.](#) Related Articles, Links  
[Whiteway M, Leberer E, Thomas DY.](#)
-  Molecular cloning of the CRM1 gene from *Candida albicans*.  
Yeast. 2000 Apr;16(6):531-8.  
PMID: 10790690 [PubMed - indexed for MEDLINE]
-  **13:** [Evangelista M, Klebl BM, Tong AH, Webb BA, Leeuw T, Leberer E, Whiteway M, Thomas DY, Boone C.](#) Related Articles, Links  
[Leberer E, Whiteway M, Thomas DY, Boone C.](#)
-  A role for myosin-I in actin assembly through interactions with Vrp1p, Bee1p, and the Arp2/3 complex.  
J Cell Biol. 2000 Jan 24;148(2):353-62.  
PMID: 10648568 [PubMed - indexed for MEDLINE]
-  **14:** [Wu C, Leberer E, Thomas DY, Whiteway M.](#) Related Articles, Links
-  Functional characterization of the interaction of Ste50p with Ste11p MAPKKK in *Saccharomyces cerevisiae*.  
Mol Biol Cell. 1999 Jul;10(7):2425-40.  
PMID: 10397774 [PubMed - indexed for MEDLINE]
-  **15:** [Wu C, Leeuw T, Leberer E, Thomas DY, Whiteway M.](#) Related Articles, Links
-  Cell cycle- and Cln2p-Cdc28p-dependent phosphorylation of the yeast Ste20p protein kinase.  
J Biol Chem. 1998 Oct 23;273(43):28107-15.

PMID: 9774429 [PubMed - indexed for MEDLINE]


-  **16:** [Sells MA, Barratt JT, Caviston J, Otilie S, Leberer E, Chernoff J](#) [Related Articles, Links](#)



Characterization of Pak2p, a pleckstrin homology domain-containing, p21-activated protein kinase from fission yeast.

J Biol Chem. 1998 Jul 17;273(29):18490-8.

PMID: 9660818 [PubMed - indexed for MEDLINE]


-  **17:** [Csank C, Schroppel K, Leberer E, Harcus D, Mohamed O, Meloche S, Thomas DY, Whiteway M](#) [Related Articles, Links](#)



Roles of the *Candida albicans* mitogen-activated protein kinase homolog, Cek1p, in hyphal development and systemic candidiasis.

Infect Immun. 1998 Jun;66(6):2713-21.

PMID: 9596738 [PubMed - indexed for MEDLINE]

-  **18:** [Leeuw T, Wu C, Schrag JD, Whiteway M, Thomas DY, Leberer E](#) [Related Articles, Links](#)



Interaction of a G-protein beta-subunit with a conserved sequence in Ste20/PAK family protein kinases.

Nature. 1998 Jan 8;391(6663):191-5.

PMID: 9428767 [PubMed - indexed for MEDLINE]


-  **19:** [Wu C, Lytvyn V, Thomas DY, Leberer E](#) [Related Articles, Links](#)



The phosphorylation site for Ste20p-like protein kinases is essential for the function of myosin-I in yeast.

J Biol Chem. 1997 Dec 5;272(49):30623-6.

PMID: 9388196 [PubMed - indexed for MEDLINE]

-  **20:** [Leberer E, Ziegelbauer K, Schmidt A, Harcus D, Dignard D, Ash J, Johnson L, Thomas DY](#) [Related Articles, Links](#)



Virulence and hyphal formation of *Candida albicans* require the Ste20p-like protein kinase CaCl4p.


Curr Biol. 1997 Aug 1;7(8):539-46.

PMID: 9259554 [PubMed - indexed for MEDLINE]

Display **Summary** Show: **20** Sort **Send to** **Text**  
Items 1-20 of 59 Page **1** of 3 Next

[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)

Apr 19 2004 06:53:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br

Search PubMed for Leberer E Go Clear

☒ Limits Preview/Index History Clipboard Details

About Entrez

Field: Author

Text Version

Display Summary Show: 20 Sort Send to Text

Items 21-40 of 59

Previous Page 2 of 3 Next

Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

PubMed Services

















Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby







Related Resources

Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

Privacy Policy

- ☐ **21:** [Leberer E, Thomas DY, Whiteway M.](#) Related Articles, Links  
Pheromone signalling and polarized morphogenesis in yeast.  
Curr Opin Genet Dev. 1997 Feb;7(1):59-66. Review.  
PMID: 9024634 [PubMed - indexed for MEDLINE]
- ☐ **22:** [Leberer E, Wu C, Leeuw T, Fourest-Lieuvin A, Segall JE, Thomas DY.](#) Related Articles, Links  
Functional characterization of the Cdc42p binding domain of yeast Ste20p protein kinase.  
EMBO J. 1997 Jan 2;16(1):83-97.  
PMID: 9009270 [PubMed - indexed for MEDLINE]
- ☐ **23:** [Wu C, Lee SF, Furmaniak-Kazmierczak E, Cote GP, Thomas DY, Leberer E.](#) Related Articles, Links  
Activation of myosin-I by members of the Ste20p protein kinase family.  
J Biol Chem. 1996 Dec 13;271(50):31787-90.  
PMID: 8943216 [PubMed - indexed for MEDLINE]
- ☐ **24:** [Leberer E, H Marcus D, Broadbent ID, Clark KL, Dignard D, Ziegelbauer K, Schmidt A, Gow NA, Brown AJ, Thomas DY.](#) Related Articles, Links  
Signal transduction through homologs of the Ste20p and Ste7p protein kinases can trigger hyphal formation in the pathogenic fungus *Candida albicans*.  
Proc Natl Acad Sci U S A. 1996 Nov 12;93(23):13217-22.  
PMID: 8917571 [PubMed - indexed for MEDLINE]
- ☐ **25:** [Leberer E, Chenevert J, Leeuw T, H Marcus D, Herskowitz I, Thomas DY.](#) Related Articles, Links  
Genetic interactions indicate a role for Mdg1p and the SH3 domain protein Bem1p in linking the G-protein mediated yeast pheromone signalling pathway to regulators of cell polarity.  
Mol Gen Genet. 1996 Oct 16;252(5):608-21.  
PMID: 8914522 [PubMed - indexed for MEDLINE]
- ☐ **26:** [Leeuw T, Fourest-Lieuvin A, Wu C, Chenevert J, Clark K, Whiteway M, Thomas DY, Leberer E.](#) Related Articles, Links  
Pheromone response in yeast: association of Bem1p with proteins of the MAP kinase cascade and actin.  
Science. 1995 Nov 17;270(5239):1210-3.  
PMID: 7502048 [PubMed - indexed for MEDLINE]
- ☐ **27:** [Whiteway MS, Wu C, Leeuw T, Clark K, Fourest-Lieuvin A, Thomas DY, Leberer E.](#) Related Articles, Links


-  Association of the yeast pheromone response G protein beta gamma subunits with the MAP kinase scaffold Ste5p.  
Science. 1995 Sep 15;269(5230):1572-5.  
PMID: 7667635 [PubMed - indexed for MEDLINE]
-  **28:** Wu C, Whiteway M, Thomas DY, Leberer E. [Related Articles, Links](#)  
 Molecular characterization of Ste20p, a potential mitogen-activated protein or extracellular signal-regulated kinase kinase (MEK) kinase from *Saccharomyces cerevisiae*.  
J Biol Chem. 1995 Jul 7;270(27):15984-92.  
PMID: 7608157 [PubMed - indexed for MEDLINE]
-  **29:** Leberer E, Dignard D, Harcus D, Whiteway M, Thomas DY. [Related Articles, Links](#)  
 Molecular characterization of SIG1, a *Saccharomyces cerevisiae* gene involved in negative regulation of G-protein-mediated signal transduction.  
EMBO J. 1994 Jul 1;13(13):3050-64.  
PMID: 8039500 [PubMed - indexed for MEDLINE]
-  **30:** Whiteway M, Clark KL, Leberer E, Dignard D, Thomas DY. [Related Articles, Links](#)  
 Genetic identification of residues involved in association of alpha and beta G-protein subunits.  
Mol Cell Biol. 1994 May;14(5):3223-9.  
PMID: 8164677 [PubMed - indexed for MEDLINE]
-  **31:** Leberer E, Reichmann H. [Related Articles, Links](#)  
 Immunochemical quantification of sarcoplasmic reticulum Ca(2+)-ATPase and calsequestrin in muscle biopsies from patients with myotonia congenita and paramyotonia congenita Eulenburg.  
J Neural Transm Gen Sect. 1994;95(1):29-38.  
PMID: 7857584 [PubMed - indexed for MEDLINE]
-  **32:** Leberer E, Dignard D, Harcus D, Hougan L, Whiteway M, Thomas DY. [Related Articles, Links](#)  
 Cloning of *Saccharomyces cerevisiae* STE5 as a suppressor of a Ste20 protein kinase mutant: structural and functional similarity of Ste5 to Far1.  
Mol Gen Genet. 1993 Nov;241(3-4):241-54.  
PMID: 8246877 [PubMed - indexed for MEDLINE]
-  **33:** Heilmann C, Spamer C, Leberer E, Gerok W, Michalak M. [Related Articles, Links](#)  
 Human liver calreticulin: characterization and Zn(2+)-dependent interaction with phenyl-sepharose.  
Biochem Biophys Res Commun. 1993 Jun 15;193(2):611-6.  
PMID: 8512561 [PubMed - indexed for MEDLINE]
-  **34:** Wildman DE, Tamir H, Leberer E, Northup JK, Dennis M. [Related Articles, Links](#)  
 Prenyl modification of guanine nucleotide regulatory protein gamma 2 subunits is not required for interaction with the transducin alpha subunit or rhodopsin.  
Proc Natl Acad Sci U S A. 1993 Feb 1;90(3):794-8.  
PMID: 8430087 [PubMed - indexed for MEDLINE]
-  **35:** Leberer E, Dignard D, Harcus D, Thomas DY, Whiteway M. [Related Articles, Links](#)  
The protein kinase homologue Ste20p is required to link the yeast

-  pheromone response G-protein beta gamma subunits to downstream signalling components.  
EMBO J. 1992 Dec;11(13):4815-24.  
PMID: 1464311 [PubMed - indexed for MEDLINE]
- ☐ **36:** [Leberer E, Dignard D, Hougan L, Thomas DY, Whiteway M.](#) [Related Articles, Links](#)  
 Dominant-negative mutants of a yeast G-protein beta subunit identify two functional regions involved in pheromone signalling.  
EMBO J. 1992 Dec;11(13):4805-13.  
PMID: 1464310 [PubMed - indexed for MEDLINE]
- ☐ **37:** [Leberer E, Timms BG, Campbell KP, MacLennan DH.](#) [Related Articles, Links](#)  
 Purification, calcium binding properties, and ultrastructural localization of the 53,000- and 160,000 (sarcalumenin)-dalton glycoproteins of the sarcoplasmic reticulum.  
J Biol Chem. 1990 Jun 15;265(17):10118-24.  
PMID: 2112542 [PubMed - indexed for MEDLINE]
- ☐ **38:** [Andersen JP, Vilsen B, Leberer E, MacLennan DH.](#) [Related Articles, Links](#)  
 Functional consequences of mutations in the beta-strand sector of the Ca<sup>2+</sup>(+)-ATPase of sarcoplasmic reticulum.  
J Biol Chem. 1989 Dec 15;264(35):21018-23.  
PMID: 2531742 [PubMed - indexed for MEDLINE]
- ☐ **39:** [Leberer E, Hartner KT, Brandl CJ, Fujii J, Tada M, MacLennan DH, Pette D.](#) [Related Articles, Links](#)  
 Slow/cardiac sarcoplasmic reticulum Ca<sup>2+</sup>-ATPase and phospholamban mRNAs are expressed in chronically stimulated rabbit fast-twitch muscle.  
Eur J Biochem. 1989 Oct 20;185(1):51-4.  
PMID: 2530087 [PubMed - indexed for MEDLINE]
- ☐ **40:** [Leberer E, Charuk JH, Green NM, MacLennan DH.](#) [Related Articles, Links](#)  
 Molecular cloning and expression of cDNA encoding a luminal calcium binding glycoprotein from sarcoplasmic reticulum.  
Proc Natl Acad Sci U S A. 1989 Aug;86(16):6047-51.  
PMID: 2762314 [PubMed - indexed for MEDLINE]

Display **Summary** Show: **20** Sort **Send to** **Text**  
Items 21-40 of 59 Previous **Page** **2** of 3 Next

[Write to the Help Desk](#)  
[NCBI | NLM | NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act | Disclaimer](#)

Apr 19 2004 06:53:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Br  
Search PubMed for Leberer E Go Clear  
☒ Limits Preview/Index History Clipboard Details

About Entrez

Field: Author

Text Version

Display Summary Show: 20 Sort Send to Text

Items 41-59 of 59

Previous Page 3 of 3

#### Entrez PubMed

Overview  
Help | FAQ  
Tutorial  
New/Noteworthy  
E-Utilities

#### PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
LinkOut  
Cubby

#### Related Resources

Order Documents  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

Privacy Policy

- ☐ 41: [Clarke DM, Maruyama K, Loo TW, Leberer E, Inesi G, MacLennan DH](#) Related Articles, Links

Functional consequences of glutamate, aspartate, glutamine, and asparagine mutations in the stalk sector of the Ca<sup>2+</sup>-ATPase of sarcoplasmic reticulum.

J Biol Chem. 1989 Jul 5;264(19):11246-51.

PMID: 2567733 [PubMed - indexed for MEDLINE]

- ☐ 42: [Ecob-Prince MS, Leberer E](#) Related Articles, Links

Parvalbumin in mouse muscle in vivo and in vitro.

Differentiation. 1989 Mar;40(1):10-6.

PMID: 2526037 [PubMed - indexed for MEDLINE]

- ☐ 43: [Leberer E, Charuk JH, Clarke DM, Green NM, Zubrzycka-Gaam E, MacLennan DH](#) Related Articles, Links

Molecular cloning and expression of cDNA encoding the 53,000-dalton glycoprotein of rabbit skeletal muscle sarcoplasmic reticulum.

J Biol Chem. 1989 Feb 25;264(6):3484-93.

PMID: 2521635 [PubMed - indexed for MEDLINE]

- ☐ 44: [Fliegel L, Leberer E, Green NM, MacLennan DH](#) Related Articles, Links

The fast-twitch muscle calsequestrin isoform predominates in rabbit slow-twitch soleus muscle.

FEBS Lett. 1989 Jan 2;242(2):297-300.

PMID: 2914612 [PubMed - indexed for MEDLINE]

- ☐ 45: [Leberer E, Hartner KT, Pette D](#) Related Articles, Links

Postnatal development of Ca<sup>2+</sup>-sequestration by the sarcoplasmic reticulum of fast and slow muscles in normal and dystrophic mice.

Eur J Biochem. 1988 Jun 1;174(2):247-53.

PMID: 2968244 [PubMed - indexed for MEDLINE]

- ☐ 46: [Gundersen K, Leberer E, Lomo T, Pette D, Staron RS](#) Related Articles, Links

Fibre types, calcium-sequestering proteins and metabolic enzymes in denervated and chronically stimulated muscles of the rat.

J Physiol. 1988 Apr;398:177-89.

PMID: 2969050 [PubMed - indexed for MEDLINE]

- ☐ 47: [Klug GA, Leberer E, Leisner E, Simoneau JA, Pette D](#) Related Articles, Links

Relationship between parvalbumin content and the speed of relaxation in chronically stimulated rabbit fast-twitch muscle.

Pflugers Arch. 1988 Feb;411(2):126-31.  
PMID: 3357751 [PubMed - indexed for MEDLINE]

 **48:** [Maier A, Leberer E, Pette D.](#)

[Related Articles](#), [Links](#)



Distribution of sarcoplasmic reticulum Ca-ATPase and of calsequestrin at the polar regions of rat, rabbit and cat intrafusal fibers.  
Histochemistry. 1988;88(3-6):273-6.  
PMID: 2966786 [PubMed - indexed for MEDLINE]

 **49:** [Leberer E, Hartner KT, Pette D.](#)

[Related Articles](#), [Links](#)



Reversible inhibition of sarcoplasmic reticulum Ca-ATPase by altered neuromuscular activity in rabbit fast-twitch muscle.  
Eur J Biochem. 1987 Feb 2;162(3):555-61.  
PMID: 2951251 [PubMed - indexed for MEDLINE]

 **50:** [Leberer E, Klug GA, Seedorf U, Pette D.](#)

[Related Articles](#), [Links](#)



Regulation of parvalbumin concentration in mammalian muscle.  
Methods Enzymol. 1987;139:763-76. No abstract available.  
PMID: 3587046 [PubMed - indexed for MEDLINE]

 **51:** [Fuchtbauer A, Jockusch BM, Leberer E, Pette D.](#)

[Related Articles](#), [Links](#)



Actin-severing activity copurifies with phosphofructokinase.  
Proc Natl Acad Sci U S A. 1986 Dec;83(24):9502-6.  
PMID: 3025844 [PubMed - indexed for MEDLINE]

 **52:** [Leberer E, Seedorf U, Pette D.](#)

[Related Articles](#), [Links](#)



Neural control of gene expression in skeletal muscle. Calcium-sequestering proteins in developing and chronically stimulated rabbit skeletal muscles.  
Biochem J. 1986 Oct 15;239(2):295-300.  
PMID: 2880579 [PubMed - indexed for MEDLINE]

 **53:** [Seedorf U, Leberer E, Kirschbaum BJ, Pette D.](#)

[Related Articles](#), [Links](#)



Neural control of gene expression in skeletal muscle. Effects of chronic stimulation on lactate dehydrogenase isoenzymes and citrate synthase.  
Biochem J. 1986 Oct 1;239(1):115-20.  
PMID: 2432887 [PubMed - indexed for MEDLINE]

 **54:** [Leberer E, Pette D.](#)

[Related Articles](#), [Links](#)



Immunochemical quantification of sarcoplasmic reticulum Ca-ATPase, of calsequestrin and of parvalbumin in rabbit skeletal muscles of defined fiber composition.  
Eur J Biochem. 1986 May 2;156(3):489-96.  
PMID: 2938950 [PubMed - indexed for MEDLINE]

 **55:** [Leberer E, Pette D.](#)

[Related Articles](#), [Links](#)



Neural regulation of parvalbumin expression in mammalian skeletal muscle.  
Biochem J. 1986 Apr 1;235(1):67-73.  
PMID: 3741391 [PubMed - indexed for MEDLINE]


 **56:** [Maier A, Leberer E, Pette D.](#)

[Related Articles](#), [Links](#)



Distribution of sarcoplasmic reticulum Ca-ATPase and of calsequestrin in rabbit and rat skeletal muscle fibers.

Histochemistry. 1986;86(1):63-9.  
PMID: 2947881 [PubMed - indexed for MEDLINE]

-  **57:** [Hudlicka O, Aitman T, Heilig A, Leberer E, Tyler KR, Pette D.](#) [Related Articles, Links](#)




**Effects of different patterns of long-term stimulation on blood flow, fuel uptake and enzyme activities in rabbit fast skeletal muscles.**  
Pflugers Arch. 1984 Nov;402(3):306-11.  
PMID: 6522241 [PubMed - indexed for MEDLINE]

-  **58:** [Leberer E, Pette D.](#) [Related Articles, Links](#)



**Lactate dehydrogenase isozymes in type I, IIA and IIB fibres of rabbit skeletal muscles.**  
Histochemistry. 1984;80(3):295-8.  
PMID: 6725013 [PubMed - indexed for MEDLINE]

-  **59:** [Klug G, Wiehrer W, Reichmann H, Leberer E, Pette D.](#) [Related Articles, Links](#)




**Relationships between early alterations in parvalbumins, sarcoplasmic reticulum and metabolic enzymes in chronically stimulated fast twitch muscle.**  
Pflugers Arch. 1983 Dec;399(4):280-4.  
PMID: 6229711 [PubMed - indexed for MEDLINE]

Display	Summary	Show: 20	Sort	Send to	Text
Items 41-59 of 59			Previous	Page 3	of 3

[Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)  
[Department of Health & Human Services](#)  
[Freedom of Information Act](#) | [Disclaimer](#)

Apr 19 2004 06:53:45



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Bi  
 Search PubMed for Leeuw T Go Clear  
☒ Limits Preview/Index History Clipboard Details

About Entrez

Text Version

Entrez PubMed

Overview  
 Help | FAQ  
 Tutorial  
 New/Noteworthy  
 E-Utilities

PubMed Services

Journals Database  
 MeSH Database  
 Single Citation Matcher  
 Batch Citation Matcher  
 Clinical Queries  
 LinkOut  
 Cubby

Related Resources

Order Documents  
 NLM Gateway  
 TOXNET  
 Consumer Health  
 Clinical Alerts  
 ClinicalTrials.gov  
 PubMed Central

Privacy Policy

Field: Author


















Display Summary Show: 20 Sort Send to Text

Items 1-16 of 16


One page.

- ☐ 1: [Kim J, Bortz E, Zhong H, Leeuw T, Leberer E, Vershon AK, Hirsch JP.](#) Related Articles, Links  
**Localization and signaling of G(beta) subunit Ste4p are controlled by a-factor receptor and the a-specific protein Asg7p.**  
 Mol Cell Biol. 2000 Dec;20(23):8826-35.  
 PMID: 11073983 [PubMed - indexed for MEDLINE]
- ☐ 2: [Leberer E, Dignard D, Thomas DY, Leeuw T.](#) Related Articles, Links  
**A conserved Gbeta binding (GBB) sequence motif in Ste20p/PAK family protein kinases.**  
 Biol Chem. 2000 May-Jun;381(5-6):427-31. Review.  
 PMID: 10937873 [PubMed - indexed for MEDLINE]
- ☐ 3: [Evangelista M, Klebl BM, Tong AH, Webb BA, Leeuw T, Leberer E, Whiteway M, Thomas DY, Boone C.](#) Related Articles, Links  
**A role for myosin-I in actin assembly through interactions with Vrp1p, Bee1p, and the Arp2/3 complex.**  
 J Cell Biol. 2000 Jan 24;148(2):353-62.  
 PMID: 10648568 [PubMed - indexed for MEDLINE]
- ☐ 4: [Wu C, Leeuw T, Leberer E, Thomas DY, Whiteway M.](#) Related Articles, Links  
**Cell cycle- and Cln2p-Cdc28p-dependent phosphorylation of the yeast Ste20p protein kinase.**  
 J Biol Chem. 1998 Oct 23;273(43):28107-15.  
 PMID: 9774429 [PubMed - indexed for MEDLINE]
- ☐ 5: [Leeuw T, Wu C, Schrag JD, Whiteway M, Thomas DY, Leberer E.](#) Related Articles, Links  
**Interaction of a G-protein beta-subunit with a conserved sequence in Ste20/PAK family protein kinases.**  
 Nature. 1998 Jan 8;391(6663):191-5.  
 PMID: 9428767 [PubMed - indexed for MEDLINE]
- ☐ 6: [Leberer E, Wu C, Leeuw T, Fourest-Lieuvin A, Segall JE, Thomas DY.](#) Related Articles, Links  
**Functional characterization of the Cdc42p binding domain of yeast Ste20p protein kinase.**  
 EMBO J. 1997 Jan 2;16(1):83-97.  
 PMID: 9009270 [PubMed - indexed for MEDLINE]
- ☐ 7: [Leberer E, Chenevert J, Leeuw T, Marcus D, Herskowitz I, Thomas DY.](#) Related Articles, Links

Genetic interactions indicate a role for Mdg1p and the SH3 domain protein

-  **Bem1p in linking the G-protein mediated yeast pheromone signalling pathway to regulators of cell polarity.**  
Mol Gen Genet. 1996 Oct 16;252(5):608-21.  
PMID: 8914522 [PubMed - indexed for MEDLINE]
-  **8:** [Leeuw T, Pette D.](#) Related Articles, Links
-  **Coordinate changes of myosin light and heavy chain isoforms during forced fiber type transitions in rabbit muscle.**  
Dev Genet. 1996;19(2):163-8.  
PMID: 8900049 [PubMed - indexed for MEDLINE]
-  **9:** [Leeuw T, Fourest-Lieuvin A, Wu C, Chenevert J, Clark K, Whiteway M, Thomas DY, Leberer E.](#) Related Articles, Links
-  **Pheromone response in yeast: association of Bem1p with proteins of the MAP kinase cascade and actin.**  
Science. 1995 Nov 17;270(5239):1210-3.  
PMID: 7502048 [PubMed - indexed for MEDLINE]
-  **10:** [Whiteway MS, Wu C, Leeuw T, Clark K, Fourest-Lieuvin A, Thomas DY, Leberer E.](#) Related Articles, Links
-  **Association of the yeast pheromone response G protein beta gamma subunits with the MAP kinase scaffold Ste5p.**  
Science. 1995 Sep 15;269(5230):1572-5.  
PMID: 7667635 [PubMed - indexed for MEDLINE]
-  **11:** [Driessen CA, Janssen BP, Winkens HJ, van Vugt AH, de Leeuw TL, Janssen JJ.](#) Related Articles, Links
-  **Cloning and expression of a cDNA encoding bovine retinal pigment epithelial 11-cis retinol dehydrogenase.**  
Invest Ophthalmol Vis Sci. 1995 Sep;36(10):1988-96.  
PMID: 7544779 [PubMed - indexed for MEDLINE]
-  **12:** [de Leeuw TG, Verbeek PC, Rauws EA, Gouma DJ.](#) Related Articles, Links
-  **A double or bilobar gallbladder as a cause of severe complications after (laparoscopic) cholecystectomy.**  
Surg Endosc. 1995 Sep;9(9):998-1000.  
PMID: 7482221 [PubMed - indexed for MEDLINE]
-  **13:** [Leeuw T, Pette D.](#) Related Articles, Links
-  **Kinetic microphotometric evaluation of in situ hybridization for mRNA of slow myosin heavy chain in type I and C fibres of rabbit muscle.**  
Histochemistry. 1994 Aug;102(2):105-12.  
PMID: 7822212 [PubMed - indexed for MEDLINE]
-  **14:** [Leeuw T, Kapp M, Pette D.](#) Related Articles, Links
-  **Role of innervation for development and maintenance of troponin subunit isoform patterns in fast- and slow-twitch muscles of the rabbit.**  
Differentiation. 1994 Feb;55(3):193-201.  
PMID: 8187981 [PubMed - indexed for MEDLINE]
-  **15:** [Leeuw T, Pette D.](#) Related Articles, Links
-  **Coordinate changes in the expression of troponin subunit and myosin heavy-chain isoforms during fast-to-slow transition of low-frequency-stimulated rabbit muscle.**  
Eur J Biochem. 1993 May 1;213(3):1039-46.

PMID: 8504800 [PubMed - indexed for MEDLINE]

 **16:** Huygen PL, Klaassen AB, de Leeuw TJ, Wentges RT.[Related Articles, Links](#)**Rhinomanometric detection rate of rhinoscopically-assessed septal deviations.**

Rhinology. 1992 Sep;30(3):177-81.

PMID: 1448674 [PubMed - indexed for MEDLINE]

Display	Summary	Show: 20	Sort	Send to	Text
---------	---------	----------	------	---------	------

Items 1-16 of 16

One page.

[Write to the Help Desk](#)[NCBI](#) | [NLM](#) | [NIH](#)[Department of Health & Human Services](#)[Freedom of Information Act](#) | [Disclaimer](#)

Apr 19 2004 06:53:45